

MOTIP Chrome Paint

Technical Information



Decorative chrome paint with metallic gloss for treated and untreated surfaces including wood, metal, aluminium, glass, stone and plastic. Chrome paint offers good coverage and excellent adhesion. Also suitable for indoor decorative purposes. MOTIP Chrome Paint is NOT rub-resistant nor resistant to the weather.

Ord.-no: 04060

Quality & properties

- Excellent coverage
- Metallic gloss
- Excellent adhesion
- Not rub resistant
- Not resistant to weather influences

Physical & chemical data

- Base: Alkyd resin
- Colourname: chrome
- Smell: Characteristic
- Degree of gloss: gloss, >75
- Efficiency: 400 ML – 1.25 - 1.75 m²
- Dust dry: 5 - 10 min
- Completely dry: 24 h
- Overcoatable: 24 h
- Surfaces: Wood, metal, aluminium, glass, stone and various types of plastic.
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 25 °C
- Flash point: n.a.
- Storage stability: 10 years
- Content: 400 ML

How to use

Before use, carefully read the directions on the packaging and act accordingly.

Pre Treatment: The surface should be clean, dry and free of grease. Remove loose old lacquer and rust and sand the surface. Apply a layer of MOTIP primer suitable for the surface. After drying, sand the base layer (grain 600)

Treatment: The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C.

Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimetre.

Apply the lacquer in several thin layers. Before applying the next layer, again shake the aerosol. Not re-sprayable with clear varnish.

After use, clean the valve (turn aerosol upside down and press the nozzle for approximately 5 seconds).

The drying time depends on the ambient temperature, the humidity of the air and the thickness of the lacquer applied.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of August 4, 2025 – This release replaces all eventually earlier issued versions.