



HANDGRIP KEV

P702LG6



CUT
TDM C

PROTECTION
FROM CUTS

Benefits

- Good cut resistance.
- Handling of hot parts (up to 250°C).

BONUS

Exceptional grip thanks to the Powerfinish® technology, ideal for handling heavy and sharp-edged objects in dry or wet conditions.

Applications

- Handling of sharp-edged parts or sheet metal.
- Moulding and fitting of plastic trim and liners.
- Handling glass.
- Fitting and assembly operations (automobile, aeronautics, etc.).

Sizes / SKU numbers

6	66 366 944
7	65 828 677
8	65 828 685
9	65 828 693
10	65 828 707
11	65 828 715

Packaging

- Individual bag (one pair)
- Polybag of 5 pairs
- Box of 50 pairs

Description

- Five-finger yellow 10-gauge glove made of Kevlar®.
- Grey latex coating on palm and front of the fingers, Powerfinish® technology.
- Thumb coated entirely for greater protection.
- Anatomical shape.
- Elasticated cuff.
- Excellent grip in dry or wet conditions.
- Good cut resistance.
- Excellent tear resistance.
- Category II glove : protection against mechanical risks and thermal hazards.

Material : Yellow knitted Kevlar®, 10 gauge

Coating : Grey latex, Powerfinish® Technology

Length : 23 to 27 cm depending on the size

Standards - Performance levels

EN 388



3.X.4.4.C

Abrasion resistance	3/4
Cut resistance (coup test)	X/5
Tear resistance	4/4
Puncture resistance	4/4
Cut resistance (TDM test)	C

EN 420



EN 407



X.2.X.X.X

Resistance to flammability	X/4
Contact heat resistance	2/4
Convective heat resistance	X/4
Radiant heat resistance	X/4
Resistance to small splashes of molten meta	X/4
Resistance to large splashes of molten metal	X/4