

COVERALL AUTOCLAVE

MULTI-USE AUTOCLAVABLE

COVERALL AUTOCLAVE protective goggles is specially designed to guarantee total comfort and optimum protection in controlled environments. Equipped with our exclusive anti-fog and anti-scratch PLATINUM coating on both sides of the lens, our autoclavable multi-use goggles are resistant to high temperature and still fully functional after several autoclaving cycles. Its designs fit over any prescription glasses, ensuring improved eye protection and vision.

- + HIGH FOGGING RESISTANCE
- + AUTOCLAVE COMPATIBLE PRODUCT
- + OVERFLOW CHUTE FOR LIQUIDS
- + PLATINUM COATING : ANTI-SCRATCH & ANTI-FOG



TECHNOLOGIES

+ PLATINUM

VERSIONS



COVACLAVE



COVACLEAN

COVERALL CLEAN

NON-STERILE SINGLE-USE

COVERALL CLEAN protective goggles is specially designed to guarantee total comfort and optimum protection in sensitive and sterile environments such as pharmacies, micro-electronics and operating theatres. Disposable non-sterile goggles that can be treated by the customer by gamma or beta irradiation or by ethylene oxide sterilisation.

- + CAN BE STERILISED USING GAMMA, BETA IRRADIATION OR ETHYLENE OXIDE STERILISATION
- + DISPOSABLE
- + ANTI-FOG PLATINUM LITE COATING
- + OVERFLOW CHUTE FOR LIQUIDS



TECHNOLOGIES

PLATINUM LITE

VERSIONS



COVACLAVE



COVACLEAN

COVERALL

USE	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	COATING	STANDARD
	CLEAR	COVACLAVE	2C-1.2 1 FT KN C€	EN166 3 4 FT C€	PLATINUM	EN166-EN170
	CLEAR	COVACLEAN	2C-1.2 1 BT C€	EN166 3 4 BT C€	PLATINUM LITE	EN166-EN170

S: MODELS IN SMALL SIZE

PACKAGING & EAN13 CODE

SINGLE Size: 270 x 130 x 90 mm	INNER BOX: Size: 53x37x10 cm Weight: 0.85 g	OUTER PACK: Size: 39.8 x 36 x 32 cm Weight: 32 kg
3660740000646	3 660 740 100 643 -5 pcs	3 660 740 200 640 -90 pcs
3660740007850	3 660 740 107 857 -5 pcs	3 660 740 207 854 -150 pcs
CUSTOM CODE: 9004901000		

COVACLAVE : GENERAL SPECIFICATIONS

LENS	POLYCARBONATE
FRAME	TPR - INDIRECT VENTILATED ON THE UPPER PART AND SEALED ON THE BOTTOM
WEIGHT	77 g
STRAP	ISOPRENE - GREY
USE	MULTI USE - AUTOCLAVE

COVACLEAN : GENERAL SPECIFICATIONS

LENS	POLYCARBONATE
FRAME	PVC - INDIRECT VENTILATED ON THE UPPER PART AND INDIRECT VENTILATED ON THE BOTTOM
WEIGHT	94 g
STRAP	ISOPRENE - GREY
USE	SINGLE USE - STERILISABLE



COVACLAVE
MADE IN: TW



COVACLEAN
MADE IN: TW



CLEANING & STORAGE

CLEANING: The lenses should be cleaned regularly. Bollé Safety recommends only using the B-clean lens cleaning system.

MAINTENANCE: Pitted, scratched or damaged lenses must be replaced by replacing the complete product. If the frame is damaged also replace the complete product. After each use it is recommended to keep the spectacles or goggles in a microfiber pouch or rigid case.

STORAGE: All products must be stored in a dry and clean environment.



DATASHEET: 03-15-2022

bolle-safety.com

Europe Headquarters
34 rue de la Soie
69100 Villeurbanne
France
Tél. : 00 33 (0) 4 78 85 23 64

U.K. & Ireland
Unit C83 - Barwell Business Park
Leatherhead Road - Chessington
Surrey - KT9 2NY - UK
Tél. : 00 44 (0)208 391 4700

USA Office
2810 Caribou Court, Suite 160
Carlsbad, CA 92010
United States of America
Tél. : 800 222 6553

Asia-Pacific Office
32-40 Fairchild Street
heatherton VIC 3202
Australia
Tél. : 1300 138 098



**THE PPE EYEWEAR
SPECIALISTS**